



January 8, 2026

Town of Hingham
Conservation Commission
Attn: Shannon Palmer
210 Central Street
Hingham, MA 02043

RE: 6 New Towne Drive, Hingham, MA
Order of Conditions, MA DEP File #034-1395

Crocker Design Group, LLC (CDG), on behalf of our clients Andrew and Taylor Howell, is requesting a **three-year extension** of the Order of Conditions (OOC) for the above-referenced property located at 6 New Towne Drive in Hingham, Massachusetts. The original OOC under MA DEP File #034-1395 was issued on February 18, 2021, with an expiration date of February 18, 2024. The expiration date was extended per Section 17(b)(iii) of Chapter 53 of the Acts of 2020, to February 18, 2025. The expiration date was extended again to February 18, 2026 per Section 280 of Chapter 238(b)(i) of the Acts of 2024.

Included with this letter are the following documents:

- Enclosure 1: Order of Conditions, MA DEP File #034-1395, issued 2/18/2021
- Enclosure 2: Hingham Policy On Receipt of Information, signed 1/8/2025
- Enclosure 3: Site Plans associated with OOC, dated 12/28/2020, Revised 10/8/2025

At the time of this letter, construction/sitework has yet to be initiated for the approved work on New Towne Drive. The applicant requests the OOC to be extended for ample time to complete the work necessary for the relocation of the existing driveway.

The project was recently approved through Hingham Site Plan Review on November 4, 2025. CDG notes that changes have been made to the site plan since its approval through the Conservation Commission in 2021. A trench drain and subsurface drainage system have been incorporated into the site plan (Sheet C-2) which are within the 100' wetland buffer area on site. CDG believes that this additional improvement will result in no adverse effects to the wetland as it actuates stormwater runoff and provides treatment to the drainage area contributing to the wetland from the proposed pavement improvements. The system will also provide groundwater runoff where none was previously proposed. It is also noted that the removal of an additional tree greater than 6" diameter breast height in the 100' wetland buffer area has been included on the site plan per DPW request, resulting in 6 trees being removed fitting the Commissions Mitigation Policy. The applicant proposes 7 plantings in the 100' wetland buffer, and 2 plantings in the 50' buffer to help mitigate the tree removal, resulting in a greater than 1-to-1 replacement ratio (see mitigation plan).

The applicant is requesting that the Conservation Commission place this request on the next available public hearing for discussion and determination. A check in the amount of \$100.00 is enclosed per the Town of Hingham Wetlands Protection By-Law Fee regulations.



Should you have any questions, please do not hesitate to contact Joshua L. Green, P.E. at 781-919-0808
or
jgreen@crockerdesigngroup.com.

Sincerely,
Crocker Design Group, LLC

A handwritten signature in blue ink, appearing to read "Joshua L. Green".

Joshua L. Green, P.E.
Project Manager



Enclosure 1:

Order of Conditions, MA DEP File #034-1395, Issued 2/18/2021



TOWN OF HINGHAM CONSERVATION COMMISSION

ORDER OF CONDITIONS: DEP #034-1395

TO: Donald MacKinnon
FROM: Loni Fournier, Conservation Officer
DATE: February 18, 2021
TITLE: Order of Conditions for 6 New Towne Drive, Hingham, MA 02043

The Hingham Conservation Commission has issued an Order of Conditions pursuant to the Massachusetts Wetlands Protection Act and the Town of Hingham Wetlands Bylaw for the above-referenced project. The Order of Conditions is attached to this letter and is the permit to proceed with the approved project. The Order of Conditions is valid for three years from the date of issuance and will expire on February 20, 2024.

In order to begin work, you are responsible for the following actions:

1. Record the **original** Order of Conditions at the Plymouth Registry of Deeds after the appeal period ends on March 4, 2021.
2. Submit **proof** that the Order of Conditions was recorded to the Conservation Office at 210 Central Street, Hingham, MA.
3. Contact the Conservation Office for a pre-construction meeting prior to beginning work. Be prepared to provide contact information for the contractor who will manage the project on site.

To complete your project, you will need to take the following actions:


1. If you need an extension to complete the project within the approval period, submit a request to extend the Order of Conditions, in writing, to our office at least 30 days prior to the expiration date.
2. When the project is fully constructed and the terms of the Order of Conditions have been met, submit a Request for Certificate of Compliance to the Conservation Office. Please use the most recent DEP form to submit the request.

For your convenience, a guide to permitting is available at the Town of Hingham's Conservation Commission webpage at <http://www.hingham-ma.gov/DocumentCenter/Home/View/3157>. If you have questions about the Order of Conditions or any of the required actions, please call the Conservation Office.

C: SERO (via email only SERO_NOI@mass.gov)

Andrew and Taylor Howell (one copy via First Class mail USPS & email thowell@atlanticdevelopment.com
andrew.r.howell@me.com)

Gabe Crocker (via email only gabecrocker@crockerdesigngroup.com)



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

034-1395

MassDEP File #

eDEP Transaction #

Hingham

City/Town

A. General Information (cont.)

6. Property recorded at the Registry of Deeds for (attach additional information if more than one parcel):

Plymouth

a. County

49786

c. Book

b. Certificate Number (if registered land)

273

d. Page

7. Dates: 12/28/2020 2/1/2021 2/18/2021
a. Date Notice of Intent Filed b. Date Public Hearing Closed c. Date of Issuance

8. Final Approved Plans and Other Documents (attach additional plan or document references as needed):

Site Plans for Driveway Relocation (sheets C-1, C-2, and C-4)

a. Plan Title

Crocker Design Group

b. Prepared By

1/25/2021

d. Final Revision Date

Gabriel R. Crocker

c. Signed and Stamped by

see sheet

e. Scale

f. Additional Plan or Document Title

g. Date

B. Findings

1. Findings pursuant to the Massachusetts Wetlands Protection Act:


Following the review of the above-referenced Notice of Intent and based on the information provided in this application and presented at the public hearing, this Commission finds that the areas in which work is proposed is significant to the following interests of the Wetlands Protection Act (the Act). Check all that apply:

- a. Public Water Supply b. Land Containing Shellfish c. Prevention of Pollution
d. Private Water Supply e. Fisheries f. Protection of Wildlife Habitat
g. Groundwater Supply h. Storm Damage Prevention i. Flood Control

2. This Commission hereby finds the project, as proposed, is: (check one of the following boxes)

Approved subject to:

- a. the following conditions which are necessary in accordance with the performance standards set forth in the wetlands regulations. This Commission orders that all work shall be performed in accordance with the Notice of Intent referenced above, the following General Conditions, and any other special conditions attached to this Order. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, these conditions shall control.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 034-1395
 MassDEP File #
 eDEP Transaction #
 Hingham
 City/Town


B. Findings (cont.)

Denied because:

- b. the proposed work cannot be conditioned to meet the performance standards set forth in the wetland regulations. Therefore, work on this project may not go forward unless and until a new Notice of Intent is submitted which provides measures which are adequate to protect the interests of the Act, and a final Order of Conditions is issued. **A description of the performance standards which the proposed work cannot meet is attached to this Order.**
- c. the information submitted by the applicant is not sufficient to describe the site, the work, or the effect of the work on the interests identified in the Wetlands Protection Act. Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides sufficient information and includes measures which are adequate to protect the Act's interests, and a final Order of Conditions is issued. **A description of the specific information which is lacking and why it is necessary is attached to this Order as per 310 CMR 10.05(6)(c).**
- 3. Buffer Zone Impacts: Shortest distance between limit of project disturbance and the wetland resource area specified in 310 CMR 10.02(1)(a) 40
 a. linear feet

Inland Resource Area Impacts: Check all that apply below. (For Approvals Only)

Resource Area	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
4. <input type="checkbox"/> Bank	<u> </u> a. linear feet	<u> </u> b. linear feet	<u> </u> c. linear feet	<u> </u> d. linear feet
5. <input checked="" type="checkbox"/> Bordering Vegetated Wetland	<u>0</u> a. square feet	<u>0</u> b. square feet	<u> </u> c. square feet	<u> </u> d. square feet
6. <input type="checkbox"/> Land Under Waterbodies and Waterways	<u> </u> a. square feet	<u> </u> b. square feet	<u> </u> c. square feet	<u> </u> d. square feet
	<u> </u> e. c/y dredged	<u> </u> f. c/y dredged		
7. <input type="checkbox"/> Bordering Land Subject to Flooding	<u> </u> a. square feet	<u> </u> b. square feet	<u> </u> c. square feet	<u> </u> d. square feet
Cubic Feet Flood Storage	<u> </u> e. cubic feet	<u> </u> f. cubic feet	<u> </u> g. cubic feet	<u> </u> h. cubic feet
8. <input type="checkbox"/> Isolated Land Subject to Flooding	<u> </u> a. square feet	<u> </u> b. square feet		
Cubic Feet Flood Storage	<u> </u> c. cubic feet	<u> </u> d. cubic feet	<u> </u> e. cubic feet	<u> </u> f. cubic feet
9. <input type="checkbox"/> Riverfront Area	<u> </u> a. total sq. feet	<u> </u> b. total sq. feet		
Sq ft within 100 ft	<u> </u> c. square feet	<u> </u> d. square feet	<u> </u> e. square feet	<u> </u> f. square feet
Sq ft between 100-200 ft	<u> </u> g. square feet	<u> </u> h. square feet	<u> </u> i. square feet	<u> </u> j. square feet



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40


Provided by MassDEP:
 034-1395
 MassDEP File #

eDEP Transaction #
 Hingham
 City/Town

B. Findings (cont.)

Coastal Resource Area Impacts: Check all that apply below. (For Approvals Only)

	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
10. <input type="checkbox"/> Designated Port Areas	Indicate size under Land Under the Ocean, below			
11. <input type="checkbox"/> Land Under the Ocean	_____	_____		
	a. square feet	b. square feet		
	_____	_____		
	c. c/y dredged	d. c/y dredged		
12. <input type="checkbox"/> Barrier Beaches	Indicate size under Coastal Beaches and/or Coastal Dunes below			
13. <input type="checkbox"/> Coastal Beaches	_____	_____	_____ cu yd	_____ cu yd
	a. square feet	b. square feet	c. nourishment	d. nourishment
14. <input type="checkbox"/> Coastal Dunes	_____	_____	_____ cu yd	_____ cu yd
	a. square feet	b. square feet	c. nourishment	d. nourishment
15. <input type="checkbox"/> Coastal Banks	_____	_____		
	a. linear feet	b. linear feet		
16. <input type="checkbox"/> Rocky Intertidal Shores	_____	_____		
	a. square feet	b. square feet		
17. <input type="checkbox"/> Salt Marshes	_____	_____	_____	_____
	a. square feet	b. square feet	c. square feet	d. square feet
18. <input type="checkbox"/> Land Under Salt Ponds	_____	_____		
	a. square feet	b. square feet		
	_____	_____		
	c. c/y dredged	d. c/y dredged		
19. <input type="checkbox"/> Land Containing Shellfish	_____	_____	_____	_____
	a. square feet	b. square feet	c. square feet	d. square feet
20. <input type="checkbox"/> Fish Runs	Indicate size under Coastal Banks, Inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above			
	_____	_____		
	a. c/y dredged	b. c/y dredged		
21. <input type="checkbox"/> Land Subject to Coastal Storm Flowage	_____	_____		
	a. square feet	b. square feet		
22. <input type="checkbox"/> Riverfront Area	_____	_____		
	a. total sq. feet	b. total sq. feet		
Sq ft within 100 ft	_____	_____	_____	_____
	c. square feet	d. square feet	e. square feet	f. square feet
Sq ft between 100-200 ft	_____	_____	_____	_____
	g. square feet	h. square feet	i. square feet	j. square feet



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
034-1395
MassDEP File #

eDEP Transaction #
Hingham
City/Town

B. Findings (cont.)

* #23. If the project is for the purpose of restoring or enhancing a wetland resource area in addition to the square footage that has been entered in Section B.5.c (BVW) or B.17.c (Salt Marsh) above, please enter the additional amount here.

23. Restoration/Enhancement *:

a. square feet of BVW

b. square feet of salt marsh

24. Stream Crossing(s):


a. number of new stream crossings

b. number of replacement stream crossings

C. General Conditions Under Massachusetts Wetlands Protection Act

The following conditions are only applicable to Approved projects.

1. Failure to comply with all conditions stated herein, and with all related statutes and other regulatory measures, shall be deemed cause to revoke or modify this Order.
2. The Order does not grant any property rights or any exclusive privileges; it does not authorize any injury to private property or invasion of private rights.
3. This Order does not relieve the permittee or any other person of the necessity of complying with all other applicable federal, state, or local statutes, ordinances, bylaws, or regulations.
4. The work authorized hereunder shall be completed within three years from the date of this Order unless either of the following apply:
 - a. The work is a maintenance dredging project as provided for in the Act; or
 - b. The time for completion has been extended to a specified date more than three years, but less than five years, from the date of issuance. If this Order is intended to be valid for more than three years, the extension date and the special circumstances warranting the extended time period are set forth as a special condition in this Order.
 - c. If the work is for a Test Project, this Order of Conditions shall be valid for no more than one year.
5. This Order may be extended by the issuing authority for one or more periods of up to three years each upon application to the issuing authority at least 30 days prior to the expiration date of the Order. An Order of Conditions for a Test Project may be extended for one additional year only upon written application by the applicant, subject to the provisions of 310 CMR 10.05(11)(f).
6. If this Order constitutes an Amended Order of Conditions, this Amended Order of Conditions does not extend the issuance date of the original Final Order of Conditions and the Order will expire on _____ unless extended in writing by the Department.
7. Any fill used in connection with this project shall be clean fill. Any fill shall contain no trash, refuse, rubbish, or debris, including but not limited to lumber, bricks, plaster, wire, lath, paper, cardboard, pipe, tires, ashes, refrigerators, motor vehicles, or parts of any of the foregoing.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

034-1395

MassDEP File #

eDEP Transaction #


Hingham

City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act

8. This Order is not final until all administrative appeal periods from this Order have elapsed, or if such an appeal has been taken, until all proceedings before the Department have been completed.
9. No work shall be undertaken until the Order has become final and then has been recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land upon which the proposed work is to be done. In the case of the registered land, the Final Order shall also be noted on the Land Court Certificate of Title of the owner of the land upon which the proposed work is done. The recording information shall be submitted to the Conservation Commission on the form at the end of this Order, which form must be stamped by the Registry of Deeds, prior to the commencement of work.
10. A sign shall be displayed at the site not less than two square feet or more than three square feet in size bearing the words,

"Massachusetts Department of Environmental Protection" [or, "MassDEP"]
 "File Number 034-1395 "
11. Where the Department of Environmental Protection is requested to issue a Superseding Order, the Conservation Commission shall be a party to all agency proceedings and hearings before MassDEP.
12. Upon completion of the work described herein, the applicant shall submit a Request for Certificate of Compliance (WPA Form 8A) to the Conservation Commission.
13. The work shall conform to the plans and special conditions referenced in this order.
14. Any change to the plans identified in Condition #13 above shall require the applicant to inquire of the Conservation Commission in writing whether the change is significant enough to require the filing of a new Notice of Intent.
15. The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Order at reasonable hours to evaluate compliance with the conditions stated in this Order, and may require the submittal of any data deemed necessary by the Conservation Commission or Department for that evaluation.
16. This Order of Conditions shall apply to any successor in interest or successor in control of the property subject to this Order and to any contractor or other person performing work conditioned by this Order.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

034-1395

MassDEP File #

eDEP Transaction #

Hingham


City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

17. Prior to the start of work, and if the project involves work adjacent to a Bordering Vegetated Wetland, the boundary of the wetland in the vicinity of the proposed work area shall be marked by wooden stakes or flagging. Once in place, the wetland boundary markers shall be maintained until a Certificate of Compliance has been issued by the Conservation Commission.
18. All sedimentation barriers shall be maintained in good repair until all disturbed areas have been fully stabilized with vegetation or other means. At no time shall sediments be deposited in a wetland or water body. During construction, the applicant or his/her designee shall inspect the erosion controls on a daily basis and shall remove accumulated sediments as needed. The applicant shall immediately control any erosion problems that occur at the site and shall also immediately notify the Conservation Commission, which reserves the right to require additional erosion and/or damage prevention controls it may deem necessary. Sedimentation barriers shall serve as the limit of work unless another limit of work line has been approved by this Order.
19. The work associated with this Order (the "Project")
- (1) is subject to the Massachusetts Stormwater Standards
- (2) is NOT subject to the Massachusetts Stormwater Standards

If the work is subject to the Stormwater Standards, then the project is subject to the following conditions:

- a) All work, including site preparation, land disturbance, construction and redevelopment, shall be implemented in accordance with the construction period pollution prevention and erosion and sedimentation control plan and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Construction General Permit as required by Stormwater Condition 8. Construction period erosion, sedimentation and pollution control measures and best management practices (BMPs) shall remain in place until the site is fully stabilized.
- b) No stormwater runoff may be discharged to the post-construction stormwater BMPs unless and until a Registered Professional Engineer provides a Certification that:
- i.* all construction period BMPs have been removed or will be removed by a date certain specified in the Certification. For any construction period BMPs intended to be converted to post construction operation for stormwater attenuation, recharge, and/or treatment, the conversion is allowed by the MassDEP Stormwater Handbook BMP specifications and that the BMP has been properly cleaned or prepared for post construction operation, including removal of all construction period sediment trapped in inlet and outlet control structures;
 - ii.* as-built final construction BMP plans are included, signed and stamped by a Registered Professional Engineer, certifying the site is fully stabilized;
 - iii.* any illicit discharges to the stormwater management system have been removed, as per the requirements of Stormwater Standard 10;



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

034-1395

MassDEP File #

eDEP Transaction #

Hingham

City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

iv. all post-construction stormwater BMPs are installed in accordance with the plans (including all planting plans) approved by the issuing authority, and have been inspected to ensure that they are not damaged and that they are in proper working condition;

v. any vegetation associated with post-construction BMPs is suitably established to withstand erosion.

c) The landowner is responsible for BMP maintenance until the issuing authority is notified that another party has legally assumed responsibility for BMP maintenance. Prior to requesting a Certificate of Compliance, or Partial Certificate of Compliance, the responsible party (defined in General Condition 18(e)) shall execute and submit to the issuing authority an Operation and Maintenance Compliance Statement ("O&M Statement") for the Stormwater BMPs identifying the party responsible for implementing the stormwater BMP Operation and Maintenance Plan ("O&M Plan") and certifying the following:


i.) the O&M Plan is complete and will be implemented upon receipt of the Certificate of Compliance, and

ii.) the future responsible parties shall be notified in writing of their ongoing legal responsibility to operate and maintain the stormwater management BMPs and implement the Stormwater Pollution Prevention Plan.

d) Post-construction pollution prevention and source control shall be implemented in accordance with the long-term pollution prevention plan section of the approved Stormwater Report and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Multi-Sector General Permit.

e) Unless and until another party accepts responsibility, the landowner, or owner of any drainage easement, assumes responsibility for maintaining each BMP. To overcome this presumption, the landowner of the property must submit to the issuing authority a legally binding agreement of record, acceptable to the issuing authority, evidencing that another entity has accepted responsibility for maintaining the BMP, and that the proposed responsible party shall be treated as a permittee for purposes of implementing the requirements of Conditions 18(f) through 18(k) with respect to that BMP. Any failure of the proposed responsible party to implement the requirements of Conditions 18(f) through 18(k) with respect to that BMP shall be a violation of the Order of Conditions or Certificate of Compliance. In the case of stormwater BMPs that are serving more than one lot, the legally binding agreement shall also identify the lots that will be serviced by the stormwater BMPs. A plan and easement deed that grants the responsible party access to perform the required operation and maintenance must be submitted along with the legally binding agreement.

f) The responsible party shall operate and maintain all stormwater BMPs in accordance with the design plans, the O&M Plan, and the requirements of the Massachusetts Stormwater Handbook.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

034-1395

MassDEP File #

eDEP Transaction #

Hingham

City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

- g) The responsible party shall:
1. Maintain an operation and maintenance log for the last three (3) consecutive calendar years of inspections, repairs, maintenance and/or replacement of the stormwater management system or any part thereof, and disposal (for disposal the log shall indicate the type of material and the disposal location);
 2. Make the maintenance log available to MassDEP and the Conservation Commission ("Commission") upon request; and
 3. Allow members and agents of the MassDEP and the Commission to enter and inspect the site to evaluate and ensure that the responsible party is in compliance with the requirements for each BMP established in the O&M Plan approved by the issuing authority.
- h) All sediment or other contaminants removed from stormwater BMPs shall be disposed of in accordance with all applicable federal, state, and local laws and regulations.
- i) Illicit discharges to the stormwater management system as defined in 310 CMR 10.04 are prohibited.
- j) The stormwater management system approved in the Order of Conditions shall not be changed without the prior written approval of the issuing authority.
- k) Areas designated as qualifying pervious areas for the purpose of the Low Impact Site Design Credit (as defined in the MassDEP Stormwater Handbook, Volume 3, Chapter 1, Low Impact Development Site Design Credits) shall not be altered without the prior written approval of the issuing authority.
- l) Access for maintenance, repair, and/or replacement of BMPs shall not be withheld. Any fencing constructed around stormwater BMPs shall include access gates and shall be at least six inches above grade to allow for wildlife passage.

Special Conditions (if you need more space for additional conditions, please attach a text document):

See attached findings and special conditions numbered 21-45 on pages 9A & 9B

20. For Test Projects subject to 310 CMR 10.05(11), the applicant shall also implement the monitoring plan and the restoration plan submitted with the Notice of Intent. If the conservation commission or Department determines that the Test Project threatens the public health, safety or the environment, the applicant shall implement the removal plan submitted with the Notice of Intent or modify the project as directed by the conservation commission or the Department.

FINDINGS:

On 2/1/2021 the Conservation Commission made the following findings relative to this project:

- a. The project meets the submittal requirements for issuance of an Order of Conditions under the Wetlands Protection Act (M.G.L. c. 131, § 40) and the Town of Hingham Wetland Regulations.
- b. The work described is within an area subject to protection under the Wetlands Protection Act (M.G.L. c. 131, § 40) and the Town of Hingham Wetland Regulations, and will not alter or adversely affect the area subject to protection under the Act or the Regulations.
- c. For the purpose of this filing, the Commission makes no finding as to the exact boundaries of wetland resource areas.

CONDITIONS – All conditions are in support of the Commission’s evaluations of this project under both the Wetlands Protection Act and the Town of Hingham Wetlands Protection Bylaw unless specifically designated as Bylaw only. See pages 5 through 9 for General Conditions 1-20.

PRIOR TO CONSTRUCTION:

21. The applicant shall notify the Hingham Conservation Commission in writing of the name, address, and telephone number(s) of the project supervisor or contractor who shall be responsible for ensuring compliance with this Order and shall notify the Commission, by telephone or writing, at least 48 hours prior to commencement of work on the site.
22. This document shall be included in all construction contracts and subcontracts dealing with the work and shall supersede all other contract requirements.
23. The project supervisor or contractor in charge of the work shall have a copy of this Order available on the site at all times.
24. Prior to the start of any excavation or construction, there shall be a pre-construction conference on the site between the project supervisor or contractor responsible for the work and an agent of the Commission to ensure that the requirements of this Order are understood.
25. Prior to the start of any excavation or construction, erosion and sediment controls shall be installed, as shown on the final approved plan, and inspected by an agent of the Commission; straw wattles and/or hay bales shall not be used as a form of erosion and sediment control.
26. Erosion and sediment controls shall remain in place until all disturbed or exposed areas have been stabilized with a final vegetative cover or the Commission has authorized their removal.
27. Prior to the start of any excavation or construction, copies of all permits, certifications, and approvals, as applicable, issued by the Hingham Sewer Department and Hingham Department of Public Works, shall be submitted to the Commission for review.
28. Prior to the start of any excavation or construction, a revised Landscape Plan, depicting one or more native shrub species in place of the proposed Boxwood (*Buxus sempervirens*) hedge, shall be submitted to the Commission for review and approval.


DURING CONSTRUCTION:

29. During all phases of construction, all disturbed or exposed areas shall be brought to a finished grade and either a) loamed and seeded for permanent stabilization, or b) stabilized in another way approved by the Commission.

30. Any debris, which falls into any resource area, shall be removed immediately by hand and properly disposed of at an off-site location.
31. All tree debris shall be properly disposed of at an off-site location; no chipped or mulched material shall remain on the property.
32. All excavated material shall be properly disposed of at an off-site location.
33. Any on site dumpsters shall not be located within 50 feet of any resource area.
34. There shall be no stockpiling of soil or other materials within 50 feet of any resource area. All stockpiles that are not used for more than five days shall be covered and surrounded by erosion and sediment controls; straw wattles and/or hay bales shall not be used as a form of erosion and sediment control.
35. Issuance of these conditions does not in any way imply or certify that the site or downstream areas will not be subject to flooding, storm damage, or any other form of damage due to wetness.
36. Any dewatering activities on the project in which water will be released into any resource area or storm drain shall make use of a stilling pond or similar device to remove sediment before the water is released. Prior to construction, plans for the stilling pond or similar device shall be submitted to the Commission for review and approval.
37. No vehicle or other machinery, refueling, lubrication or maintenance, including concrete washout, shall take place within 50 feet of any resource area.
38. Runoff from the approved driveway shall be captured and infiltrated on site using stone trenches, as shown on the final approved plans, or a suitable alternative approved in advance by the Commission.
39. Mitigation plantings and seed mix shall be installed in accordance with the final approved plans.
40. Before executing any change from the plan of record, the applicant must have the Commission's written approval. Any errors found in the plans or information submitted by the applicant shall be considered as changes. Approval from other Town Agents or Inspectors does not relieve the applicant from obtaining approval from the Commission.

POST CONSTRUCTION:

41. It is the sole responsibility of the owner of record to maintain drainage structures at all times. The property owner is also responsible for retaining records of the maintenance and cleaning for review by the Commission. This condition shall apply in **perpetuity** and shall not expire with the issuance of a Certificate of Compliance.
42. The mitigation planting areas shall be maintained with native plantings and seed mix, or shall be allowed to naturally revegetate with native species following planting and remain as naturally vegetated. This condition shall apply in **perpetuity** and shall not expire with the issuance of a Certificate of Compliance.
43. The applicant shall apply for a Certificate of Compliance as soon as work has been completed and prior to the expiration of this Order. If work cannot be completed prior to the expiration of this Order, the applicant shall contact the Commission in writing to apply for an extension at least thirty days prior to the expiration date.
44. The applicant shall submit an "as built" plan to the Commission upon completion of this project. The plan shall be signed by the professional engineer of record, who shall certify that the work has been done in accordance with the approved plans and this Order. This plan must be submitted prior to the issuance of a Certificate of Compliance by the Commission.
45. Prior to the issuance of a Certificate of Compliance, the 10 (ten) native trees, planted in accordance with the Commission's Tree Removal and Replacement Policy (adopted 11/4/19), shall survive at least two full growing seasons. If this is not achieved, a replacement planting of the same species shall be made by the applicant.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

034-1395

MassDEP File #

eDEP Transaction #

Hingham

City/Town


D. Findings Under Municipal Wetlands Bylaw or Ordinance

1. Is a municipal wetlands bylaw or ordinance applicable? Yes No
2. The Hingham Conservation Commission hereby finds (check one that applies):
 - a. that the proposed work cannot be conditioned to meet the standards set forth in a municipal ordinance or bylaw, specifically:

1. Municipal Ordinance or Bylaw	2. Citation
Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides measures which are adequate to meet these standards, and a final Order of Conditions is issued.	
 - b. that the following additional conditions are necessary to comply with a municipal ordinance or bylaw:

Hingham Wetlands Protection Bylaw	Article 22
1. Municipal Ordinance or Bylaw	2. Citation
3. The Commission orders that all work shall be performed in accordance with the following conditions and with the Notice of Intent referenced above. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, the conditions shall control.
The special conditions relating to municipal ordinance or bylaw are as follows (if you need more space for additional conditions, attach a text document):

See attached findings and special conditions numbered 21-45 on pages 9A & 9B



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 034-1395
 MassDEP File #
 eDEP Transaction #
 Hingham
 City/Town

E. Signatures

This Order is valid for three years, unless otherwise specified as a special condition pursuant to General Conditions #4, from the date of issuance.

Please indicate the number of members who will sign this form.

This Order must be signed by a majority of the Conservation Commission.

2/18/21

1. Date of Issuance

6

2. Number of Signers

The Order must be mailed by certified mail (return receipt requested) or hand delivered to the applicant. A copy also must be mailed or hand delivered at the same time to the appropriate Department of Environmental Protection Regional Office, if not filing electronically, and the property owner, if different from applicant.

Carol Kelly
Signature

Cynthia Kelly
Printed Name

[Signature]
Signature

Lavie Freeman
Printed Name

John C. Mooney
Signature

JOHN C. MOONEY
Printed Name

[Signature]
Signature

Robert P Mosher
Printed Name

[Signature]
Signature

HENRY R. HIGGINS
Printed Name

[Signature]
Signature

Thomas S. Eoby
Printed Name

Signature

Printed Name

Signature

Printed Name

by hand delivery on

by certified mail, return receipt requested, on

Date

Date 2/18/21



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

034-1395

MassDEP File #

eDEP Transaction #

Hingham


City/Town

F. Appeals

The applicant, the owner, any person aggrieved by this Order, any owner of land abutting the land subject to this Order, or any ten residents of the city or town in which such land is located, are hereby notified of their right to request the appropriate MassDEP Regional Office to issue a Superseding Order of Conditions. The request must be made by certified mail or hand delivery to the Department, with the appropriate filing fee and a completed Request for Departmental Action Fee Transmittal Form, as provided in 310 CMR 10.03(7) within ten business days from the date of issuance of this Order. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.

Any appellants seeking to appeal the Department's Superseding Order associated with this appeal will be required to demonstrate prior participation in the review of this project. Previous participation in the permit proceeding means the submission of written information to the Conservation Commission prior to the close of the public hearing, requesting a Superseding Order, or providing written information to the Department prior to issuance of a Superseding Order.

The request shall state clearly and concisely the objections to the Order which is being appealed and how the Order does not contribute to the protection of the interests identified in the Massachusetts Wetlands Protection Act (M.G.L. c. 131, § 40), and is inconsistent with the wetlands regulations (310 CMR 10.00). To the extent that the Order is based on a municipal ordinance or bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 034-1395
 MassDEP File #

 eDEP Transaction #
 Hingham
 City/Town

G. Recording Information

Prior to commencement of work, this Order of Conditions must be recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land subject to the Order. In the case of registered land, this Order shall also be noted on the Land Court Certificate of Title of the owner of the land subject to the Order of Conditions. The recording information on this page shall be submitted to the Conservation Commission listed below.

Hingham
 Conservation Commission

Detach on dotted line, have stamped by the Registry of Deeds and submit to the Conservation Commission.

To:

Hingham
 Conservation Commission

Please be advised that the Order of Conditions for the Project at:

6 New Towne Drive
 Project Location

034-1395
 MassDEP File Number

Has been recorded at the Registry of Deeds of:

Plymouth
 County

Book

Page

for: Property Owner

and has been noted in the chain of title of the affected property in:

Book

Page

In accordance with the Order of Conditions issued on:

Date

If recorded land, the instrument number identifying this transaction is:

Instrument Number

If registered land, the document number identifying this transaction is:

Document Number

Signature of Applicant



Enclosure 2:

Signed Policy on Receipt of Information

HINGHAM WETLAND REGULATIONS

APPENDIX C

Policy on Receipt of Information

(Revised March 4, 2024)

1. New applications/filings must be submitted to the Conservation office (by certified mail or hand delivery) two weeks prior to the meeting date, on Monday by noon, to facilitate the placement of the legal ad and to allow timely review by the Conservation Officer (if the office is closed on Monday due to a holiday, then the information is due on the preceding Friday by noon). Conservation staff will review the application for administrative completeness. Upon receipt of a complete application, a hearing or meeting will be scheduled in accordance with the 310 CMR 10.05(5) and the Wetland Regulations, Section 7.6.
2. If deemed necessary, based on the Commission's meeting schedule, Conservation staff may request the applicant *voluntarily* waive the 21 day statutory deadline for holding a public hearing or issuing a Determination of Applicability.
3. Requests for additional information may be made by the Commission members or their agent to clarify the scope of the project or determine compliance with the 310 CMR 10.00 and/or the Hingham Wetland Regulations. Such requests, if not made at the public hearing, will be communicated to the applicant or their representative as promptly as possible.
4. Additional information requested by the Commission or their agent in accordance with No.3, must be submitted to the Conservation office a minimum of 7 days prior to the meeting date, on Monday by noon. If the office is closed on Monday due to a holiday, the information is due on the preceding Friday by noon. *Revisions submitted after the established deadline may not receive a review, thereby resulting in a continuance to the next available meeting.*
5. The Commission may engage the peer review services of an outside consultant as provided by M.G.L. Ch. 44, § 53G, to be paid for by the applicant, for specific expert review deemed necessary to come to a final decision on a submitted application. Specific consultant services may include but are not limited to, review of a Notice of Intent, Wetland Resource Area Delineation, Stormwater/Drainage Reports, etc. The consultant shall be chosen by the Conservation Commission by vote at the public hearing, and report only to the Commission or its agent. *Requested additional information/revisions by the peer reviewer is required a minimum of two weeks prior to the hearing date.*
5. All supplemental documentation and revised plans must include a revision date and must be date stamped by the Conservation office upon receipt. If this information is not present, the documents may be considered incomplete and may not receive a timely review, thereby resulting in a continuance to the next available meeting.
6. Please note that all supplemental documentation and revised plans submitted to the Commission for a pending application, subject to the MA Wetlands Protection Act, must also be sent to the DEP Southeast Regional Office, 20 Riverside Dr., Lakeville, MA 02347

The Hingham Conservation Commission is committed to a thorough and timely review of each application and an efficient hearing process. Cooperation with this policy is appreciated to facilitate these efforts. Exceptions to this policy may be made by the Conservation staff if deemed warranted. Please sign and include with your filing. Thank you.

Applicant or Applicant's Representative Signature

Date



Enclosure 3:

Plans Associated with OOC, dated 12/28/2020, revised 10/8/2025